

ToLEDo Retro GLS Dimmable

ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL

0029313



Product features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Same look, size and functionality as incandescent lamps
- Omni-directional light distribution
- Suitable replacement for incandescent and halogen lamps
- Gives same sparkling light effect as incandescent lamp
- Dimensionally identical to incandescent lamps - fits all fixtures
- Environment friendly - no mercury and lower CO2 emissions
- Dimmable with approved dimmers



PRODUCT OVERVIEW

Product name	ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	7
Type	LED exchangeable
Fixture rating	Open
General application	Hospitality, Residential & Consumer
E-number FI	4740899
Warranty	3 years
Luminous flux (lm)	806
Colour temperature (K)	2700
Light colour	Homelight
Colour Variation Initial (SDCM)	SDCM6
Photobiological Risk Group	RG1
Product Voltage (V)	230
Dimmable	Yes
Average life (Nominal) (h)	15000
Product EAN number	5410288293134

DATA TABLE

General data

Product name	ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	7
Type	LED exchangeable
Fixture rating	Open
General application	Hospitality, Residential & Consumer
Operating temperature range (°C)	-10°C...+45°C

ToLEDo Retro GLS Dimmable

ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL

0029313

Performance ambient temperature Tq (°C) 25

E-number FI 4740899

Warranty 3 years

Optical data

Luminous flux (lm) 806

Luminous flux (Rated) (lm) 806

Colour temperature (K) 2700

Light colour Homelight

Colour Variation Initial (SDCM) SDCM6

Photobiological Risk Group RG1

Lumen maintenance at end of nominal life (%) 70

Electrical data

Equivalent watt (W) 60

Product Voltage (V) 230

Control gear required No

Transformer required No

Dimmable Yes

Inrush Current (A) 1.5

Lamp Energy Label (class) E

Max. Luminaires per 16A B Breaker 54

Lifetime data

Lifespan L70 B50 15000

Average life (Nominal) (h) 15000

Average life (Rated) (h) 15000

Physical data

Nominal Product Length (mm) 108

Nominal Product Diameter (mm) 60

Weight (kg) 0.064

Packaging

Single packaging type Carton

Product EAN number 5410288293134

Packaging single length / height (cm) 12.0

Packaging single width (cm) 6.6

Packaging single depth (cm) 6.6

Units per outer package 6

Packaging outer width (cm) 13.9

Packaging outer depth (cm) 13.0

Safety data

Optimal operating condition (°C) -10-45


Breakage cleaning instructions Not applicable

Special purpose lamp No


ToLEDo Retro GLS Dimmable
ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL
0029313

Dry applications use only	Yes
Safety message	Not Suitable for totally enclosed fixtures

PHOTOMETRY



TECHNICAL DRAWINGS




ToLEDo Retro GLS Dimmable
ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL
0029313

**ENERG**

SYLVANIA

0029313



7

kWh/1000h




2019/2015

ToLEDo Retro GLS Dimmable
ToLEDo RT GLS V5 CL DIM 806LM 827 E27 SL
0029313



0029313



7
kWh/1000h



2019/2015