

**TITLE:**

Drum-Roll Drum Lifter

**CODE:**


SFX/ACC-DRUM-MINILIFT-1

**DESCRIPTION:**

Drum-Roll Minilift

**SUPPLIED AS:**

MINILIFT



[enquiries@securiflex.co.uk](mailto:enquiries@securiflex.co.uk) | [www.securiflex.co.uk](http://www.securiflex.co.uk) | 03333 44 66 23





## Product Specification

### Technical Data

Weight (kg)	101
Length (m)	1.55
Width (m)	0.8
Height (m)	1.3
Packaging	Carton
Load-bearing capacity	4000kg
Min drum diameter	650mm
Max drum diameter	1600mm
Max Reel Width	1000mm
Length of Drum Axle	1500mm
Delivery	Two side parts, one drum axle, set of 95mm centering nuts




[enquiries@securiflex.co.uk](mailto:enquiries@securiflex.co.uk) | [www.securiflex.co.uk](http://www.securiflex.co.uk) | 03333 44 66 23





## MORE INFORMATION:



### TECHNICAL DATA

Max. load	4,000 kg
Max. drum Ø	1,600 mm
Min. drum Ø	650 mm
A) Height	863 mm
B) Depth	358 mm
C) Width	450 mm
Length of drum axle	1,500 mm
Max. drum width	1,000 mm
Weight per site	40 kg

### ORDER NO.

MINILIFT Set: SFX/ACC-DRUM-MINILIFT-1

- two side parts
- one drum axle 1,500 mm
- one Set centering cones Ø 95 mm

### ACCESSORIES

Drum axle 1,850 mm FX/ACC-DRUM-SPARE-AXLEL1850MINI-1

Set centering cones SFX/ACC-DRUM-SPARE-CENTRECONES-LG  
Ø 140 mm



enquiries@securiflex.co.uk | www.securiflex.co.uk | 03333 44 66 23