



SURFACE MOUNT CEILING HEATERS

What is a Surface Mount Ceiling Heater ?

A robust heater that's designed to space heat commercial premises with solid ceilings such as shops, cafes and schools. Ceiling heaters free up valuable wall space and can be surface mounted or suspended. Now with a choice of black or white finishes.



Key Features

- Compact design – only 152mm high
- Keyhole screw fixing or suspend from drop rods (M6 threaded holes provided)
- Models with a 'T' suffix have adjustable electronic thermostat
- Can be controlled by CS-7 controller and/or suitably rated thermostat (3kW: 16A, 4.5kW: 20A, 6kW: 10A)
- For multi-heater installations see SystemX (page 30-31)



ENERGY SAVING TIP
Control with a 7-day programmable thermostat to keep your running costs to an absolute minimum.

SMH Surface Mount Ceiling Heaters

| Model | kW | Finish | Built-in Thermostat |
|---------|-----|--------|---------------------|
| SMH-30 | 3.0 | White | No |
| SMH-30B | 3.0 | Black | No |
| SMH-30T | 3.0 | White | Yes |
| SMH-45 | 4.5 | White | No |
| SMH-45T | 4.5 | White | Yes |
| SMH-60 | 6.0 | White | No |

Controls

| | Description | Model | Details |
|---|--|---------|----------|
|  | Switch (on/off/high heat/low heat/fan only) | CS-7 | Page 122 |
|  | Electronic programmable thermostat 16A (recessed)* | RD16 | Page 112 |
|  | Electronic programmable thermostat 16A* | RT16 | Page 112 |
|  | Electronic programmable thermostat 26A* | RT26 | Page 113 |
|  | Wi-Fi electronic thermostat 16A (recessed - free app)* | WD16 | Page 113 |
|  | Wi-Fi electronic thermostat 16A (free app)* | WT16 | Page 114 |
|  | Wi-Fi electronic thermostat 26A (free app)* | WT26 | Page 114 |
|  | Adjustable room thermostat 16A | RST3-IN | Page 110 |
|  | Tamperproof room thermostat 16A | RST3-TP | Page 110 |

*Tamperproof function available on these models

Technical

| kW | | Volts | Airflow (m ³ /h) | dB*@2m | Recommended Mounting Height(m) | | Dimensions(mm) | | | Weight (kg) |
|------|------|-------|-----------------------------|--------|--------------------------------|-----|----------------|-----|-----|-------------|
| High | Low | | | | Min | Max | W | D | H | |
| 3.0 | 2.0 | 230 | 245 | 56 | 2.4 | 3.0 | 575 | 392 | 152 | 8.0 |
| 4.5 | 2.25 | 230 | 345 | 60 | 3.0 | 4.5 | 575 | 392 | 152 | 11.0 |
| 6.0 | 4.0 | 230 | 490 | 58 | 2.4 | 3.0 | 575 | 592 | 152 | 12.5 |

*Noise levels are factory tested not laboratory tested



Stores Area

Location: Swansea, Wales

Installed: 2 x 3kW Surface Mount Fan Heater in black finish



The Rural Auction Centre

Location: Milnthorpe, Cumbria

Installed: 7 x 6kW Surface Mount Ceiling Heaters