

JCEM005ST

RadiaLED Rapid Pro and Pro Slim Emergency packs

RadiaLED Rapid Pro and Pro Slim Emergency Plug and play pack Self-Test

Features & Benefits

- Plug and play connectors for quick and simple installation
- For Use with RadiaLED Rapid Pro and Pro Slim Range
- 2W maximum output
- LifePo4 battery
- 5 Year Warranty including battery



General Information

Environment

Product Group

Product Range

Recommended product location

IP Rating

Origin of manufacturer

Warranty

Operation Type

Customs Tariff code**

Indoor

Bulkheads

RadiaLED

Clip into RadiaLED Rapid Pro and Pro Slim only

IP20

Made in China

5 Year Warranty (5 years on batteries)(See Website for terms and conditions)

Maintained only

8536303099

Electrical

Voltage Rating

Primary Running Current(Amp)

Inrush current(Amps)

Operating Frequency Hz

Secondary running current(mA)

Luminaire Circuit Wattage1

Class

Power Factor Correction

220-240

0.05

7

50/60Hz

220-25

2W max Output

II

0.5

Input Electrical Connections

Plug and Play connectors

Emergency Data

Load Voltage(DC)	9-56
Minimum Battery run time	3
Recharge Time	24hrs
Inverter PFC	0.5

Battery Data

Battery Specification	LiFePO4 3.2V
Battery Type	Lithium Iron
Nominal battery current	2Amp
Charge Current	130mA
Recharge Time	24hrs
Battery Total Weight(kg)	0.042

Thermals

Operating Temperature Range °C	0 to +50
--------------------------------	----------

Construction

Primary Material	Polycarbonate
------------------	---------------

Standards & Approvals

Manufactured in accordance to	BS EN 60598:2015, 2-22
CE Marked	Yes
UKCA Marked	Yes
Date code/Purchase order No.	Yes
WEEE symbol	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015



**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.

Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 48 [17/02/2025]