

JC121417 Small LED Strip Reels IP65

LED Strip 10m 24V 9.6W IP65 3000K

Features & Benefits

- Dimmable depending on driver
- 3000K and 4000K colour temperatures available
- IP20 and IP65 options
- Profile options are: surface, slimline surface, recessed, corner, plaster in and plaster in slimline
- 120 LED's per metre, 5cm cut points





General Information

Trade Name	Led Tape
Environment	Indoor/Exterior
Suitable For Zones	Zone 1
Product Group	LED Strip
Product Shape	Rectangular
Overall Dimensions	10mm wide x 10m
Length (mm)	10000
Width (mm)	10
Product Weight(kg)	0.425
Light Source	LED
Light Source Features	Warm White
Additional Information	Dimmable, depending on driver
Luminaire Accessories	See LED Strip and Undershelf section at JCC.co.uk
Recommended product location	Suitable for interior and exterior use
Method of fix	Adhesive tape
IP Rating	IP65
Origin of manufacturer	Made in China
Warranty	3 Year Warranty (See Website for terms and conditions)
LED manufacturer/type	Hongli 2835
Lighting Product Type 1	Tapelight

Customs Tariff code**

9405990090

0 to 26

Electrical

Voltage Rating	24V
Luminaire Circuit Wattage1	9.6W per metre
Class	ш
Input Electrical Connections	250mm DC trailing lead (+/-) connections
Dimmable	Depending on driver

Thermals

Performance Data

LED Life (Hours)*	54000
Energy Rating	This product contains a light source of energy efficiency
	class F
Actual Lumen Output1	960 Lumens per metre
Lumens Per Circuit Watt1	100LpcW per metre
Standard Deviation Colour Matching - SDCM	>6
Color Rendering Index	80-89
CRI: Ra	80
Correlated Colour Temperature1	3000K
Beam Angle °	120
LOR (Light Output Ratio) %	100


5052544117602


Packaging

Product Bar Code EAN-13 Number	
--------------------------------	--

Standards & Approvals

Manufactured in accordance to	BS EN 60598-2015
CE Marked	Yes
UKCA Marked	Yes
Date code/Purchase order No.	Yes
WEEE symbol	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015





*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT. Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | <u>sales@jcc.co.uk</u> | <u>www.jcc.co.uk</u> Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 60 [26/03/2025]