

JC121430

Large LED Strip Reels IP20

LED Strip 40m 24V 9.6W IP20 4000K

Features & Benefits

- Dimmable depending on driver
- 3000K and 4000K colour temperatures available
- IP20 and IP65 options
- Profile options are: surface, slimline surface, recessed, corner, plaster in and plaster in slimline
- 120 LED's per metre, 5cm cut points



General Information

Trade Name	Led Tape
Environment	Indoor
Suitable For Zones	Outside zone 2
Product Group	LED Strip
Product Shape	Rectangular
Overall Dimensions	10mm wide x 40m
Length (mm)	40000
Width (mm)	10
Product Weight(kg)	0.54
Light Source	LED
Light Source Features	Neutral White
Additional Information	Dimmable, depending on driver
Luminaire Accessories	See LED Strip and Undershelf section at JCC.co.uk
Recommended product location	For indoor use only
IP Rating	IP20
Origin of manufacturer	Made in China
Warranty	3 Year Warranty (See Website for terms and conditions)
Lighting Product Type 1	Tapelight
Customs Tariff code**	9405990090

Electrical

Voltage Rating

24V

Luminaire Circuit Wattage1

9.6W per metre

Class

III

Input Electrical Connections

250mm DC trailing lead (+/-) connections

Dimmable

Depending on driver

Thermals

Room Ambient Temperature

0 to 26

Performance Data

LED Life (Hours)*

54000

Energy Rating

This product contains a light source of energy efficiency class F

Actual Lumen Output1

960 Lumens per metre

Lumens Per Circuit Watt1

100LpcW per metre

Standard Deviation Colour Matching - SDCM

>6

Color Rendering Index

80-89

CRI: Ra

80

Correlated Colour Temperature1

4000K

Beam Angle °

120

LOR (Light Output Ratio) %

100

Packaging

Product Bar Code EAN-13 Number

5052544117732

Standards & Approvals

Manufactured in accordance to

BS EN 60598-2015

CE Marked

Yes

UKCA Marked

Yes

Date code/Purchase order No.

Yes

WEEE symbol


Yes


Certificate Of Conformity

Available on request

Accredited Members

LIA, ISO9001-2015, ISO14001-2015





*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 68 [26/03/2025]