

JC077150BLK

Line Of Light

Line of Light Corner IP20 Black



Features & Benefits

- Two-part construction allowing easy access to termination and internal components
- Available in 4ft and 5ft lengths
- UGR version available as black finish only
- Colour selectable between 3000K, 4000K & 5700K
- Illuminated corners & upward illumination options
- Suspension kit available
- Linking kit (JC077156) available to assemble longer lengths, squares and rectangle configurations
- Sections and corners can be connected via a simple plug and play system
- For longer seamless runs add /EXT to any standard Line of Light product codes to order middle/end pieces that exclude end caps and flex



General Information

Mounting	Connects to straight section with joining kit(supplied)
Suitable For Zones	Outside Zone 2
Product Group	Commercial Linear
Color Finish	Black
Product Shape	L shape
Product Range	Line Of Light
Length (mm)	160
Width (mm)	60
Height (mm)	78
Light Source	LED
Light Source Features	3CCT matches selected CCT from straight section
IP Rating	20
Origin of manufacturer	China
Warranty	5 Year Warranty(Terms & conditions apply)
Dimming Protocol Compatibility	Dimming matches dimmable straight sections when connected
LED manufacturer/type	Shaanxi/2835
Customs Tariff code**	9405119090

Electrical

Voltage Rating

Constant Current or Constant Voltage

Input Electrical Connections

Power supplied from connected straight section

CC

Plug and play connector

Thermals

Operating Temperature Range °C

-20 to 60

Performance Data

LED Life (Hours)*

50000

Actual Lumen Output1

Light output matches straight section connected

Color Rendering Index

80-89

CRI: Ra

80

Correlated Colour Temperature1

3000

Correlated Colour Temperature2

4000

Correlated Colour Temperature3

5700

Beam Angle °

75

LOR (Light Output Ratio) %

100

Construction

Primary Material

Aluminium

Outer Diffuser

Polycarbonate

Packaging

Product Bar Code EAN-13 Number

5052544126598

Standards & Approvals

Manufactured in accordance to

BS EN 60598-2-1

CE Marked

Yes

UKCA Marked

Yes

Date code/Purchase order No.

Yes

WEEE symbol

Yes


Certificate Of Conformity

Available on request

Accredited Members

LIA, ISO9001-2015, ISO14001-2015





*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 49 [26/03/2025]