

JC077150WH

Line Of Light

Line of Light Corner IP20 White

Features & Benefits

- Two-part construction allowing easy access to termination and internal components
- Available in 4ft and 5ft lengths
- UGR version available as black finish only
- Colour selectable between 3000K, 4000K & 5700K
- Illuminated corners & upward illumination options
- Suspension kit available
- Linking kit (JC077156) available to assemble longer lengths, squares and rectangle configurations
- Sections and corners can be connected via a simple plug and play system
- For longer seamless runs add /EXT to any standard Line of Light product codes to order middle/end pieces that exclude end caps and flex



















General Information

Mounting

Suitable For Zones

Product Group

Color Finish

Product Shape

Product Range

Length (mm)

Width (mm)

Lindal Com

Height (mm)

Light Source

Light Source Features

IP Rating

Origin of manufacturer

Warranty

Dimming Protocol Compatibility

LED manufacturer/type
Customs Tariff code**

Connects to straight section with joining kit(supplied)

Outside Zone 2

Commercial Linear

White

L shape

Line Of Light

160

60

78

LED

3CCT matches selected CCT from straight section

20

China

5 Year Warranty (Terms & conditions apply)

Dimming matches dimmable straight sections when

connected

Shaanxi/2835

9405119090

Electrical

Voltage Rating Power supplied from connected straight section

Constant Current or Constant Voltage CC

Input Electrical Connections Plug and play connector

Thermals

Operating Temperature Range °C -20 to 60

Performance Data

LED Life (Hours)* 50000

Actual Lumen Output1 Light ouptut matches straight section connected

Color Rendering Index 80-89

CRI: Ra **80**

Correlated Colour Temperature1 3000

Correlated Colour Temperature2 4000

Correlated Colour Temperature3 5700

Beam Angle ° 75

LOR (Light Output Ratio) % 100

Construction

Primary Material Aluminium

Outer Diffuser Polycarbonate

Packaging

Product Bar Code EAN-13 Number 5052544126611

Standards & Approvals

Manufactured in accordance to BS EN 60598-2-1

CE Marked Yes

UKCA Marked Yes

Date code/Purchase order No. Yes

WEEE symbol Yes

Certificate Of Conformity Available on request

Accredited Members LIA, ISO9001-2015, ISO14001-2015





*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT. Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 43 [26/03/2025]