

ToLEDo Retro Ball Dimmable
ToLEDo RT Dim Ball 470LM E27 SL
0027251



NOTES

undefined

PRODUCT OVERVIEW

Product name	ToLEDo RT Dim Ball 470LM E27 SL
Technology	LED
Watt (Rated) (W)	4.5
Lamp shape	Round/globe
Type	ToLEDo Retro Ball Dimmable
Cap/Base	E27
Lamp finish	Clear
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740434
E-number SE	8295007
Luminous flux (lm)	470
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	827
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	4.5
Dimming method	Mains: leading / trailing edge
Average life (Nominal) (h)	15000
Product EAN number	5410288272511

DATA TABLE

General data	
Product name	ToLEDo RT Dim Ball 470LM E27 SL
Technology	LED

ToLEDo Retro Ball Dimmable

ToLEDo RT Dim Ball 470LM E27 SL

0027251

Watt (Rated) (W)	4.5
Lamp shape	Round/globe
Type	ToLEDo Retro Ball Dimmable
Cap/Base	E27
Lamp finish	Clear
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740434
E-number SE	8295007

Optical data

Luminous flux (lm)	470
Luminous flux (Rated) (lm)	470
Colour temperature (K)	2700
Light colour	Homelight
Colour Code	827
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	4.5
Equivalent watt (W)	40
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Mains voltage (V)	220-240V
Lamp power factor	0.8
Control gear required	No
No. Of switching cycles before premature failures	>50000
Transformer required	No
Dimming method	Mains: leading / trailing edge
Drive current (mA)	27
kWh per 1000 hours burning time	5

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Max. Lamp Diameter (mm) - D	45
Weight (kg)	0.033

Packaging

Single packaging type	Carton
Product EAN number	5410288272511
Packaging single length / height (cm)	11.7

ToLEDo Retro Ball Dimmable

ToLEDo RT Dim Ball 470LM E27 SL

0027251

Packaging single width (cm)	4.8
Packaging single depth (cm)	4.8
DUN14 (inner)	25410288272515
Units per inner package	6
Packaging inner length / height (cm)	15.7
Packaging inner width (cm)	10.6
Packaging inner depth (cm)	13.7
DUN14 (outer)	15410288272518
Units per outer package	60
Packaging outer length / height (cm)	55.5
Packaging outer width (cm)	33.3
Packaging outer depth (cm)	16.7

Safety data

Breakage cleaning instructions	Not applicable
Recommendation for disposal at end of life	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Suitable for accent lighting	Yes

TECHNICAL DRAWINGS

